

# Left Main Disease

# Comparisons of PCI against CABG

## *10 years of advances*


	Design	N (PCI/ CABG)	Endpoint	FU, yrs	Key findings
MAIN COMPARE (2008, 2010, 2018)	Multicenter registry	1102/1138	Death; death, Q-wave MI, or stroke; TVR	10	Similar rates of mortality and death, Q-wave MI, or stroke; higher rates of TVR with PCI
LE MANS (2008, 2016)	Multicenter RCT	52/53	Change in LVEF	10	Improvement in ejection fraction only with PCI, comparable rates of death, MI, stroke, or TVR
SYNTAX (2010, 2014)	Multicenter RCT	357/348	Death, MI, stroke, or RR	5	Comparable rates of death, MI, stroke, or repeat revascularization
Boudriot et al. (2011)	Multicenter RCT	100/101	Death, MI, or RR	1	PCI with sirolimus-eluting stent inferior to CABG
PRECOMBAT (2011, 2015, 2020)	Multicenter RCT	300/300	Death, MI, stroke, or ischemia-driven TVR	10	PCI non-inferior to CABG at 1, 5, and 10 year, comparable rates of death, MI, stroke, or ischemia-driven TVR
DELTA (2012)	Multicenter registry	1874/901	Death, MI, or stroke	3.5	Comparable rates of death, MI, or stroke. Higher TVR in PCI
NOBLE (2016)	Multicenter RCT	592/592	Death, MI, stroke, or any repeat revascularization	5	CABG superior to PCI (primary end points 28% in PCI group vs in 18% in CABG group)
EXCEL (2016, 2018)	Multicenter RCT	948/957	Death, MI, or stroke	4	Similar rates of primary endpoint of death, stroke, or MI at 4 years

**TABLE 1** Summary of Randomized Clinical Trials of PCI With DES Vs CABG for LMCA Disease

	<b>LEMANS<sup>30,31</sup></b>	<b>Boudriot et al<sup>32</sup></b>	<b>SYNTAX-LM<sup>33-35</sup></b>	<b>PRECOMBAT<sup>36,38</sup></b>	<b>EXCEL<sup>39,40</sup></b>	<b>NOBLE<sup>41,42</sup></b>
Recruitment period	2001-2004	2003-2009	2005-2007	2004-2009	2010-2014	2008-2015
PCI/CABG, n/n	52/53	100/101	357/348	300/300	948/957	592/592
Follow-up, y	10	1	5 10 (for mortality)	10	5	5
Diabetes, %	18	36	25	32	29	15
Bifurcation, %	58	72	61	64	81	81
SYNTAX score, mean	Not reported	23	30	25	21	22
Stent	BMS and DES (35%)	DP-SES	DP-PES	DP-SES	DP-EES	BP-BES and DP-SES (7.7%)
IVUS	Recommend	Infrequent	Infrequent	At discretion, 91%	Recommended, 77%	Recommended, 74%
FFR guidance	Not reported	Not reported	Infrequent	Not reported	Recommended, 9.0%	Recommended
LIMA, %	72	99	97	94	99	96
Off pump, %	1.9	46	Not reported	64	29	16
Primary trial endpoint	Change in LVEF	Cardiac death, MI, or TVR	Death, MI, stroke, or repeat revascularization 10-y all-cause death	Death, MI, stroke, or TVR	Death, MI, or stroke	Death, nonprocedural MI, stroke, or repeat revascularization
Key finding	There was a trend toward higher LVEF at 10 y with PCI.	PCI was inferior to CABG at 1 y.	PCI was noninferior to CABG at 1 and 5 y in terms of death, MI, stroke, or repeat revascularization. No significant difference in 10-y all-cause death between PCI and CABG.	PCI was noninferior to CABG at 1, 5, and 10 y. to CABG at 3 and 5 y.	PCI was noninferior to CABG at 1, 5, and 10 y. to CABG at 3 and 5 y.	PCI was inferior to CABG at 5 y.


# Data for Left Main *30 years ago*

CABG vs. Medical Rx  
(150 pts, VA and EU RCT)



Yusuf S et al. Lancet 1994; 344: 563-70

CABG vs. Medical Rx  
(1484 pts, CASS Registry)



Yusuf S et al. Lancet 1994; 344: 563-70


**PTCA was not considered as an Tx option**

# Guideline Changes for LMCA, 10 Years

	Class of recommendation	LOE
2005 ACC/AHA/SCAI	III—PCI is not recommended in patients with unprotected LMCA disease and eligibility for CABG	C
2005 ESC/EACTS	IIb—Stenting for unprotected LMCA disease should only be considered in the absence of other revascularization options	C
:	:	
2011/2014 ACC/AHA/AATS/PCNA /SCAI/STS	<p>IIa—For SIHD patients when both of the following are present:</p> <ul style="list-style-type: none"> <li>Anatomically low risk of PCI procedural complications &amp; high likelihood of good long-term outcomes (e.g., a low SYNTAX score [<math>\leq 22</math>], ostial or trunk left main stenosis)</li> </ul> <p>Clinical characteristics that predict a significantly increased risk of adverse surgical outcomes (e.g., STS-predicted risk of operative mortality <math>\geq 5\%</math>)</p> <p>IIb—For SIHD patients when both of the following are present:</p> <ul style="list-style-type: none"> <li>Anatomically low-to-intermediate risk of PCI procedural complications &amp; intermediate-to-high likelihood of good long-term outcome (e.g., low-intermediate SYNTAX score of <math>&lt; 33</math>, bifurcation left main stenosis)</li> <li>Clinically increased risk of adverse surgical outcomes</li> </ul> <p>III: HARM—SIHD patients with unfavorable anatomy for PCI &amp; good candidates for CABG</p>	B
2014 ESC/EACTS	<p>I—Left main disease with a SYNTAX score <math>\leq 22</math>.</p> <p>IIb—Left main disease with a SYNTAX score 23–32</p> <p>III—Left main disease with a SYNTAX score <math>\geq 33</math></p>	B
2018 ESC/EACTS	<p>I—Left main disease with a SYNTAX score <math>\leq 22</math>.</p> <p>IIa—Left main disease with a SYNTAX score 23–32</p> <p>III—Left main disease with a SYNTAX score <math>\geq 33</math></p>	A
2021 ACC/AHA	<p>I—In patients with SIHD and significant left main stenosis, CABG is recommended to improve survival.</p> <p>IIa—In selected patients with SIHD and significant left main stenosis for whom PCI can provide equivalent revascularization to that possible with CABG, PCI is reasonable to improve survival</p>	B

# Elective PCI for LM Stenosis


## ESC/EACTS Guidelines 2014



- *LM with*
  - SYNTAX score  $\leq 22$
- *LM with*
  - SYNTAX score 23-32
- *LM with*
  - SYNTAX score  $> 32$

# Elective PCI for LM Stenosis


## ESC/EACTS Guidelines 2018



- *LM with*
  - SYNTAX score  $\leq 22$
- *LM with*
  - SYNTAX score 23-32
- *LM with*
  - SYNTAX score  $> 32$

# Elective PCI for LM Stenosis

## ACC/AHA Guidelines 2021




- *PCI and provide equivalent revascularization to that possible with CABG*
  - PCI is reasonable to improve survival

# LM : PCI vs. CABG


# PCI vs. Medical Treatment

Bayesian network meta-analysis involving  
12 (PCI vs. CABG), and 7 (CABG vs. Medication) studies



PCI is superior to medical treatment in the treatment of LM stenosis.


# Hazard Ratios for Matched Cohort Outcomes : Median 5-Year Outcomes



# The DELTA Registry

## LM revascularization: PCI vs. CABG


Death, MI or CVA in Propensity Score-Matched Groups



# PCI vs. CABG in Females

Female subgroup of DELTA registry (PCI, 489; CABG, 328 patients)

The results of propensity score-matched groups




There was no difference in the hard endpoints.

Buchanan et al. Am J Cardiol, 2014

# PCI vs. CABG in Octogenarians

Octogenarian subgroup of DELTA registry (PCI, 218; CABG, 86)




In octogenarians, no difference was observed in the occurrence of the hard endpoint after PCI or CABG.

# PCI vs. CABG for Ostial/Midshaft LM stenosis

A subgroup of DELTA registry (PCI, 482; CABG, 374 patients)

The results of propensity score-matched groups




PCI for ostial/midshaft lesions was associated with clinical outcomes comparable to those observed with CABG

# Long-term Outcomes of PCI vs. CABG

5-year outcomes of the LM subgroup of the SYNTAX trial


:PCI (N=357) vs. CABG (N=348)



At 5 years, no difference in MACCE was found between PCI and CABG, but PCI was accompanied by a higher rate of repeat revascularization.

# Long-term Outcomes of PCI vs. CABG

5-year outcomes of the LM subgroup of the SYNTAX trial  
:PCI (N=357) vs. CABG (N=348)




MACCE were similar between arms in patients with low/intermediate SYNTAX scores but significantly increased in patients with high scores.

# Long-term Outcomes of PCI vs. CABG

5-year outcomes of the randomized PRECOMBAT trial  
:PCI (N=300) vs. CABG (N=300)

Primary end point: Major adverse cardiac or cerebrovascular event




During 5 year follow-up, no significant difference in the rate of MACCE was observed between the PCI and CABG groups.

Ahn et al. JACC, 2015

# Long-term Outcomes of PCI vs. CABG


5-year outcomes of the randomized PRECOMBAT trial  
:PCI (N=300) vs. CABG (N=300)



During 5 year follow-up, no significant difference in the rate of MACCE was observed between the PCI and CABG groups.

# Temporal Trends

Data From the Asan Medical Center-LM Revascularization Registry




The proportion of PCI is significantly increasing.


# Temporal Trends

Data From the *Asan Medical Center-LM* Revascularization Registry

Wave 1: BMS , 2: Early DES , 3: Late DES




Coronary Artery Bypass Grafting



The incidence of adverse events is gradually decreasing with PCI, but the change has been insignificant with CABG.

# Temporal Trends


Data From the *Asan Medical Center-LM* Revascularization Registry



The trend favoring PCI was observed with the coronary stent evolving.

# IRIS-MAIN registry

50 academic and community hospitals in Asia ( $n=5883$ )






Historical time periods: WAVE1: 1995 – 2002, WAVE2: 2003 – 2006, WAVE3: 2007 – 2013

Lee et al. JACC, 2016

# IRIS-MAIN registry



## Medical Therapy Group



Lee et al. JACC, 2016




# IRIS-MAIN registry

## PCI Group



# IRIS-MAIN registry


## CABG Group



Lee et al. JACC, 2016

# IRIS-MAIN registry


## PCI versus Medical Tx



Lee et al. JACC, 2016

# IRIS-MAIN registry


## CABG versus Medical Tx



Lee et al. JACC, 2016

# IRIS-MAIN registry


## PCI versus CABG



Lee et al. JACC, 2016


# IRIS-MAIN registry

## Secular Changes of Treatment Effect of Each Treatment Stratum



# PCI vs. CABG for Left Main Disease


## Meta-analysis of 4 RCTs, 1,611 Patients



# PCI vs. CABG for Left Main Disease

## Meta-analysis of 24 studies, 14,203 patients


### According to follow-up duration



# PCI vs. CABG for Left Main Disease

## Meta-analysis of 24 studies, 14,203 patients

### According to SYNTAX score




# PCI vs. CABG for Left Main Disease

5-year clinical outcomes of the randomized **NOBLE** trial

:PCI (N=592) vs. CABG (N=592)

Primary Endpoint: MACCE, All-cause mortality




# PCI vs. CABG for Left Main Disease

5-year clinical outcomes of the randomized **NOBLE** trial

:PCI (N=592) vs. CABG (N=592)

Primary Endpoint: Non-procedural MI, Repeat revascularization




# PCI vs. CABG for Left Main Disease

5-year clinical outcomes of the randomized **NOBLE** trial

**:PCI (N=592) vs. CABG (N=592)**

## Primary Endpoint: Stroke




Holm NR et al. Lancet 2020.

# PCI vs. CABG for Left Main Disease

5-year clinical outcomes of the randomized **NOBLE** trial

:PCI (N=592) vs. CABG (N=592)

## Primary Endpoint(MACCE) by SYNTAX score subgroups



A low score is defined as 1–22; intermediate is 23–32; high is  $\geq 33$ .

# PCI vs. CABG for Left Main Disease

5-year outcomes of the randomized EXCEL trial  
:PCI (N=948) vs. CABG (N=957)


	PCI (n=948)	CABG (n=957)	Diff [95% CI]	OR [95%CI]
<b>Primary endpoint</b>				
Death, stroke or MI at 5 years	22.0%	19.2%	2.8 [-0.9 to 6.0]	1.19 (0.95-1.05)
<b>Secondary endpoints</b>				
Death from any cause	13.0%	9.9%	3.1 [0.2 to 6.1]	1.38 (1.03-1.85)
Death, stroke, MI or ischemia-driven revasc	31.3 %	24.9 %	6.2 [2.4-10.6]	1.39 (1.13-1.71)

# PCI vs. CABG for Left Main Disease

5-year outcomes of the randomized EXCEL trial

:PCI (N=948) vs. CABG (N=957)

Primary Endpoint: Death, Stroke or MI at 5 Years




G.W. Stone et al. N Engl J Med 2019.

# PCI vs. CABG for Left Main Disease

5-year outcomes of the randomized EXCEL trial  
:PCI (N=948) vs. CABG (N=957)

Death, Stroke, MI or Ischemia-driven Revascularization at 5 Years



G.W. Stone et al. N Engl J Med 2019.

# PCI vs. CABG for Left Main Disease

5-year outcomes of the randomized EXCEL trial

:PCI (N=948) vs. CABG (N=957)

## Secondary Outcomes Analysis

Outcome	PCI (N=948)		CABG (N=957)		Difference in Event Rates (95% CI)	Odds Ratio (95% CI)	
	Events	Event Rate	Events	Event Rate			
				percentage points			
Death from any cause	119	13.0	89	9.9	3.1 (0.2 to 6.1)	1.38 (1.03 to 1.85)	
Cardiovascular	61	6.8	49	5.5	1.3 (-0.9 to 3.6)	1.26 (0.85 to 1.85)	
Definite cardiovascular	45	5.0	40	4.5	0.5 (-1.4 to 2.5)	1.13 (0.73 to 1.74)	
Undetermined cause	16	1.9	9	1.1	0.9 (-0.3 to 2.0)	1.78 (0.78 to 4.06)	
Noncardiovascular	58	6.6	40	4.6	2.0 (-0.2 to 4.2)	1.47 (0.97 to 2.23)	
Stroke	26	2.9	33	3.7	-0.8 (-2.4 to 0.9)	0.78 (0.46 to 1.31)	
Myocardial infarction	95	10.6	84	9.1	1.4 (-1.3 to 4.2)	1.14 (0.84 to 1.55)	
Periprocedural	37	3.9	57	6.1	-2.1 (-4.1 to -0.1)	0.63 (0.41 to 0.96)	
Nonperiprocedural	59	6.8	31	3.5	3.2 (1.2 to 5.3)	1.96 (1.25 to 3.06)	
Ischemia-driven revascularization	150	16.9	88	10.0	6.9 (3.7 to 10.0)	1.84 (1.39 to 2.44)	
PCI	125	14.1	80	9.1	4.9 (1.9 to 7.9)	1.65 (1.22 to 2.22)	
CABG	38	4.3	8	0.9	3.4 (1.9 to 4.9)	4.90 (2.27 to 10.56)	

# PCI vs. CABG for Left Main Disease

5-year outcomes of the randomized EXCEL trial

:PCI (N=948) vs. CABG (N=957)


## Additional Outcomes Analysis

Outcome	PCI (N=948)		CABG (N=957)		Difference in Event Rates (95% CI)	Odds Ratio (95% CI)
	Events	Event Rate	Events	Event Rate		
	no.	%	no.	%		
<b>Additional outcomes</b>						
Any revascularization	153	17.2	92	10.5	6.7 (3.5 to 9.9)	1.79 (1.36 to 2.36)
Stent thrombosis	16	1.8	0	0	—	—
Definite	10	1.1	0	0	—	—
Probable	6	0.7	0	0	—	—
Symptomatic graft stenosis or occlusion	0	0	58	6.5	—	—
Therapy failure†	10	1.1	58	6.5	-5.4 (-7.2 to -3.6)	0.16 (0.08 to 0.32)
Cerebrovascular events‡	29	3.3	46	5.2	-1.9 (-3.8 to 0)	0.61 (0.38 to 0.99)
Transient ischemic attack	3	0.3	14	1.6	-1.3 (-2.2 to -0.4)	0.21 (0.06 to 0.74)

# PCI vs. CABG for Left Main Disease

5-year outcomes of the randomized **EXCEL** trial: **PCI (N=948)** vs. **CABG (N=957)**

## Subgroup analysis of Primary outcomes at 5 Years




# Role of Left Main PCI After EXCEL and NOBLE

Variables	EXCEL	NOBLE
<b>Patients (no.)</b>	<b>1,905</b>	<b>1,201</b>
<b>Median follow-up</b>	<b>5 year</b>	<b>4.9 year</b>
<b>HR (95% CI), CABG/PCI</b>		
<b>Primary endpoint</b>	<b>1.19 (0.95-1.05)</b>	<b>1.58 (1.24-2.01)</b>
<b>All-cause death</b>	<b>1.38 (1.03-1.85)</b>	<b>1.08 (0.74-1.59)</b>
<b>Cardiac death</b>	<b>1.3 (-0.9-3.6)</b>	<b>0.99 (0.57-1.73)</b>
<b>MI</b>	<b>1.4 (-1.3-4.2)</b>	<b>2.99 (1.66-5.39)</b>
<b>Stroke</b>	<b>-0.8 (-2.4-0.9)</b>	<b>1.75 (0.86-3.55)</b>
<b>Revascularization</b>	<b>6.9 (3.7-10.0)</b>	<b>1.73(1.25-2.40)</b>

NOBLE: Stent thrombosis (2% NOBLE vs. 1.8% EXCEL),  
non-procedural MI excluded (3% CABG vs. 8% PCI)

Individual-patient-data Analysis from 11 PCI vs. CABG Trials  
11,518 randomized pts; 4,478 (38.9%) with left main ds.

## All-cause Mortality (Left Main)





Individual-patient-data Analysis from 11 PCI vs. CABG Trials  
 11,518 randomized pts; 4,478 (38.9%) with left main ds.

## All-cause Mortality (LM patients)

	PCI (n=2,233)	CABG (n=2,245)	HR [95%CI]	P value	P <sub>int</sub>
<b>Overall mortality</b>	10.7% (174)	10.5% (158)	1.07 [0.87, 1.33]	0.52	
<b>Diabetes</b>	16.5% (71)	13.4% (51)	1.34 [0.93, 1.91]	0.11	0.13
<b>No diabetes</b>	8.8% (104)	9.6% (107)	0.94 [0.72, 1.23]	0.65	
<b>SYNTAX score 0-22</b>	8.1% (45)	8.3% (49)	0.91 [0.60, 1.36]	0.64	
<b>SYNTAX score 23-32</b>	10.8% (67)	12.7% (63)	0.92 [0.65, 1.30]	0.65	0.38 (0.06 for trend)
<b>SYNTAX score ≥33</b>	15.0% (56)	12.4% (45)	1.39 [0.94, 2.06]	0.10	

# PCI vs. CABG for Left Main Disease


10-year outcomes of the randomized SYNTAX Extended Survival (SYNTAXES) study: *PCI* ( $N=357$ ) vs. *CABG* ( $N=348$ )



# PCI vs. CABG for Left Main Disease


10-year outcomes of the randomized SYNTAX Extended Survival (SYNTAXES) study: *PCI* ( $N=357$ ) vs. *CABG* ( $N=348$ )

*Prespecified Subgroup analysis of 10-year all-cause death*




# MAIN COMPARE Registry, 3-Year

## Adjusted HR by Use of PS Matching




# MAIN COMPARE Registry, 5-Year

## Adjusted HR by Use of IPTW Method



# PCI vs. CABG for Left Main Disease


10-year outcomes of the **MAIN-COMPARE** registry : All-cause death



Park et al. J Am Coll Cardiol. 2018;72:2813-22

# PCI vs. CABG for Left Main Disease


10-year outcomes of the **MAIN-COMPARE** registry : Death, Q-wave MI, or stroke



Park et al. J Am Coll Cardiol. 2018;72:2813-22

# PCI vs. CABG for Left Main Disease

10-year outcomes of the **MAIN-COMPARE** registry : Target-Vessel Revascularization




# Hazard Ratios for Clinical Outcomes Before and After 5-Year of Follow-up

Outcome	Overall Cohort		Wave 1* (BMS)		Wave 2* (DES)	
	Hazard Ratio <sup>†</sup> (95% CI)	P value	Hazard Ratio <sup>†</sup> (95% CI)	P value	Hazard Ratio <sup>†</sup> (95% CI)	P value
<b>Analyses with IPTW</b>	N = 2240 patients (PCI 1102, CABG 1138)		N = 766 patients (BMS 318, CABG 448)		N = 1474 patients (DES 784, CABG 690)	
<b>Death</b>		0.64		0.05		0.15
0~5 years	1.10 (0.82–1.47)	0.53	1.65 (0.91–2.98)	0.10	1.02 (0.71–1.46)	0.91
>5 years	1.09 (0.87–1.36)	0.48	0.68 (0.46–1.02)	0.06	1.35 (1.00–1.81)	0.05
<b>Composite outcome (death, Q-wave MI or stroke)</b>		0.43		0.06		0.03
0~5 years	0.98 (0.75–1.29)	0.91	1.46 (0.84–2.53)	0.18	0.91 (0.66–1.27)	0.59
>5 years	1.16 (0.93–1.43)	0.19	0.67 (0.46–1.00)	0.05	1.46 (1.10–1.94)	0.009
<b>TVR, All period</b>	4.07 (3.43–6.44)	<0.001	4.45 (2.81–7.05)	<0.001	5.82 (3.77–9.01)	<0.001


# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **PRECOMBAT** trial : Primary composite outcome




# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **PRECOMBAT** trial : Death, MI, or Stroke




# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **PRECOMBAT** trial : All-cause Death



# PCI vs. CABG for Left Main Disease


Extended Follow-Up of the **PRECOMBAT** trial : Target-Vessel revascularization



DW Park et al. Circulation 2020;141:1437-1446

# PCI vs. CABG for Left Main Disease


## Extended Follow-Up of the **PRECOMBAT** trial



DW Park et al. Circulation 2020;141:1437-1446

# PCI vs. CABG for Left Main Disease


Individual patient data meta-analysis : SYNTAX, PRECOMBAT, NOBLE, EXCEL  
all-cause death (0-5Yr)



Sabatine et al. Lancet 2021;398:2247-57


# PCI vs. CABG for Left Main Disease

Individual patient data meta-analysis : SYNTAX, PRECOMBAT, NOBLE, EXCEL  
all-cause death (0-1Yr)



# PCI vs. CABG for Left Main Disease


Individual patient data meta-analysis : SYNTAX, PRECOMBAT, NOBLE, EXCEL  
all-cause death (1-5Yr)



Sabatine et al. Lancet 2021;398:2247-57

# PCI vs. CABG for Left Main Disease

Individual patient data meta-analysis : SYNTAX, PRECOMBAT, NOBLE, EXCEL




Sabatine et al. Lancet 2021;398:2247-57

# **LM : DES vs. DES**

# ISAR-LEFT MAIN 2

## ZES vs. EES


The primary outcome: all-cause death, MI, and TLR



# PRECOMBAT-2 Study

## EES vs. SES

Primary end point: Major adverse cardiac or cerebrovascular event




At risk

SES	327	294	275
EES	334	297	176
CABG	272	253	241


# The ULMD Florence registry

## *EES vs. PES*



# PRECOMBAT-3, 2 Year EES vs. SES

*Death, MI, Stroke or Ischemic TVR*




Unpublished Data. 2014

# IRIS-MAIN Registry

## Comparison of 2<sup>nd</sup> generation DES


**Target vessel failure: Cardiac death, Target vessel MI, or TVR**



# IRIS-MAIN Registry

## Comparison of 2<sup>nd</sup> generation DES

*Target vessel failure: Cardiac death, Target vessel MI, or TVR*




# **Distal bifurcation**


**vs.**

# **Ostial / Shaft lesion**

# Restenosis at 2 year




# Lesion Specific Approach for LM Bifurcation




# Bifurcation vs. Ostial / midshaft lesions

*TLR :Treated with DES*



# Distal bifurcation vs. Ostial/midshaft

A subgroup of DELTA registry - propensity score-matched groups  
(Distal bifurcation N=1130, Ostial/mid-shaft N=482)




PCI for ostial/mid-shaft lesions was associated with better outcomes than distal bifurcation lesions in LM stenting.

# Distal bifurcation vs. Ostial/midshaft

Post-hoc analysis of EXCEL Trial  
(Distal bifurcation N=1559, Ostial/mid-shaft N=293)


## Primary Endpoint: Death, MI or Stroke



# Distal bifurcation vs. Ostial/midshaft

Post-hoc analysis of EXCEL Trial  
(Distal bifurcation N=1559, Ostial/mid-shaft N=293)


## Ischemia-driven Revascularization



# PCI vs. CABG for Ostial/Midshaft LM stenosis

A subgroup of DELTA registry (PCI, 482; CABG, 374 patients)


*The results of propensity score-matched groups*



PCI for ostial/midshaft lesions was associated with clinical outcomes comparable to those observed with CABG


# DES vs. CABG for LM Ostial/Shaft & Bifurcation

## MAIN-COMPARE registry




# DES vs. CABG for LM Ostial/Shaft & Bifurcation

## MAIN-COMPARE registry




# DES vs. CABG for LM Ostial/Shaft & Bifurcation



# Distal LM Restenosis

UDLM-ISR subgroup of The CORPAL Registry (N=79)




A simple strategy appeared to be a good treatment option,  
associated with a lower event rate at follow-up.

# PCI vs. CABG for Distal Bifurcation LM stenosis

Post-hoc analysis of EXCEL Trial  
(Distal bifurcation N=1559, Ostial/mid-shaft N=293)


## Primary Endpoint: Death, MI or Stroke



# PCI vs. CABG for Ostial/Midshaft LM stenosis

Post-hoc analysis of EXCEL Trial  
(Distal bifurcation N=1559, Ostial/mid-shaft N=293)


## Primary Endpoint: Death, MI or Stroke



# PCI vs. CABG for Distal Bifurcation LM stenosis

Post-hoc analysis of EXCEL Trial  
(Distal bifurcation N=1559, Ostial/mid-shaft N=293)


## Ischemia-driven Revascularization



# PCI vs. CABG for Ostial/Midshaft LM stenosis

Post-hoc analysis of EXCEL Trial  
(Distal bifurcation N=1559, Ostial/mid-shaft N=293)

## Ischemia-driven Revascularization



# Mortality after LM reintervention

## ISAR-LEFT-MAIN and ISAR-LEFT-MAIN2 registry

**TABLE 2** Procedural Findings at the Index Procedure

	Alive (n = 119)	Dead (n = 47)	p Value
Location of left main lesion			0.88
Ostial	8.4 (10/119)	8.5 (4/47)	
Distal/bifurcation	81.5 (97/119)	78.7 (37/47)	
Body	10.1 (12/119)	12.8 (6/47)	
Occluded right coronary artery	9.2 (11/119)	14.9 (7/47)	0.29
Trifurcation morphology	14.3 (17/119)	10.6 (5/47)	0.53
Stenting technique			0.26
Single	45.4 (54/119)	57.4 (27/47)	
T-stenting	10.1 (12/119)	4.3 (2/47)	
Culotte stenting	44.5 (53/119)	38.3 (18/47)	
Kissing balloon technique	55.5 (66/119)	34.0 (16/47)	0.01
Coronary artery dominance			0.49
Left	8.4 (10/119)	10.6 (5/47)	
Right	82.4 (98/119)	74.5 (35/47)	
Balanced	9.2 (11/119)	14.9 (7/47)	
Stent type			0.02
Sirolimus-eluting stent	29.4 (35/119)	8.5 (4/47)	
Zotarolimus-eluting stent	27.7 (33/119)	44.7 (21/47)	
Paclitaxel-eluting stent	17.6 (21/119)	23.4 (11/47)	
Everolimus-eluting stent	25.2 (30/119)	23.4 (11/47)	

Values are % (n/N).

**TABLE 3** Mortality After Target Lesion Revascularization According to Lesion Location and Revascularization Strategy


	Mortality at 3 Years	Mortality at 5 Years	p Value
Lesion location			0.90
Ostial	14.3 (2)	31.8 (4)	
Distal/bifurcation	20.6 (27)	29.3 (37)	
Body	23.7 (4)	36.4 (6)	
Underlying stenting technique			0.30
Single	20.3 (16)	35.5 (27)	
T-stenting	14.9 (2)	14.9 (2)	
Culotte	21.5 (15)	26.9 (18)	
Revascularization type			0.90
CABG	18.1 (3)	24.4 (4)	
PTCA	24.1 (19)	31.5 (24)	
Stenting	16.5 (11)	29.9 (19)	

Values are % by Kaplan-Meier estimate (n).

# **Simple cross vs. Two-stent technique**

# EBC MAIN trial


## *LM bifurcation: 1 vs. 2 stent tech.*



# EBC MAIN trial

## *LM bifurcation: 1 vs. 2 stent tech.*


Primary Endpoint : a composite of death, myocardial infarction, and target lesion revascularization at 12month



# DEFINITION II trial


## *LM bifurcation: Two stent vs. provisional stenting*

Primary Endpoint : target lesion failure, target lesion revascularization, target vessel myocardial infarction




# Ostial vs. 1 stent vs. 2 stent

*TLR :Treated with DES*



# Single- vs. Two-Stent Strategy from MAINCOMPARE



# COBIS Registry II

## *LM bifurcation: 1 vs. 2 stent tech.*

Target lesion failure : cardiac death, MI, and TLR



Numbers at risk

<b>1-stent strategy</b>	509	455	374	219
<b>2-stent strategy</b>	344	271	216	129

# IVUS-guided, Lesion-specific

## Single stent

- Normal ostial LCX with MEDINA 1.1.0. or 1.0.0.
- Small LCX with < 2.5 mm in diameter
- Diminutive LCX
- Normal or focal disease in distal LCX

## Two stent

- Diseased LCX with MEDINA 1.1.1., 1.0.1., or 0.1.1
- Large LCX with  $\geq 2.5$  mm in diameter
- Diseased left dominant coronary system
- Concomitant diffuse disease in distal LCX

# Provisional vs. 2-stent technique for Simple and Complex Bifurcation Lesions - The DEFINITION Study

## Adjusted HR with 2-stent technique

	Simple	Complex
<b>In-hospital</b>		
<b>MI</b>	0.76 (0.45–1.28)	<b>0.58 (0.35–0.94)</b>
<b>Cardiac death</b>	—	0.53 (0.13–2.12)
<b>TLR</b>	1.66 (0.41–1.66)	—
<b>MACE</b>	0.68 (0.40–1.13)	<b>0.58 (0.35–0.94)</b>
<b>Stent thrombosis</b>	<b>6.68 (1.67–26.80)</b>	—
<b>At 1 year</b>		
<b>MI</b>	0.68 (0.40–1.13)	0.64 (0.40–1.03)
<b>Cardiac death</b>	0.95 (0.38–2.34)	<b>0.52 (0.28–0.97)</b>
<b>TLR</b>	<b>1.78 (1.16–2.74)</b>	1.07 (0.65–1.75)
<b>MACE</b>	1.03 (0.75–1.42)	0.79 (0.57–1.08)
<b>Stent thrombosis</b>	1.66 (0.62–4.45)	1.06 (0.42–1.69)


2-stent technique is still needed for complex bifurcation lesions

Chen et al. JACC: Cardiovasc Interv, 2014

# FFR- vs. Angio-guided Provisional Stenting

## The Randomized DKCRUSH-VI Trial


(160 patients with true bifurcation lesion in each group)



FFR-guided provisional stenting showed the similar outcomes with fewer stents

# DKCRUSH III

## *DKCRUSH vs. Culotte for LM-bifurcation*




# Risk Prediction of SB Occlusion

## The RESOLVE Score System

*: a model built from 1545 Chinese patients with bifurcation*

### Scores Attributed to Each Variable

Risk Factor	Level	Point
Plaque distribution	At the opposite side of SB	0
	At the same side of SB	1
MV TIMI flow grade before stenting	TIMI 3	0
	TIMI 2	6
	TIMI 1	11
	TIMI 0	17
Pre-procedural diameter stenosis of bifurcation core (%)	<50	0
	50–<70	2
	≥70	3
Bifurcation angle (°)	<70	0
	70–<90	4
	≥90	6
Diameter ratio between MV/SB	<1.0	0
	1.0–<1.5	2
	1.5–<2.0	6
	≥2.0	9
Diameter stenosis of SB before MV stenting (%)	<50	0
	50–<70	4
	70–<90	6
	≥90	7




The RESOLVE score system can help identify patients at risk for SB occlusion during bifurcation stenting.

Dou et al. JACC Cardiovasc Interv, 2015


# Effect of SB Predilation Before Provisional Stenting

A randomized study enrolling 372 patients with true bifurcation  
(SB predilation + vs. SB predilation -)



Predilation of the SB resulted in improved TIMI flow after MB stenting,  
not hindering SB rewiring.

# With vs. Without Routine Kissing Balloon Inflation (FKB)



AMC Data, 2014

# With vs. Without Routine Kissing Balloon Inflation (FKB) 2- year Clinical Outcomes

	FKB (N=95)	Non-FKB (N=318)	Adjusted HR (95% CI)	P value
Death	4 (4.6%)*	12 (3.9%)	1.03 (0.28-3.82)	0.97
Death or MI	4 (4.6%)	13 (4.2%)	0.95 (0.26-3.51)	0.96
TVR	7 (8.1%)	14 (4.8%)	1.12 (0.40-3.11)	0.83
LM-TLR	7 (8.1%)	13 (4.4%)	1.32 (0.46-3.75)	0.60
Definite ST	0	0	NA	NA
MACE <sup>#</sup>	11 (12.5%)	26 (8.5%)	1.10 (0.49-2.49)	0.82

adjusted for age, DM, clinical presentation, stent No., pre- and post-stenting LCX DS

\* derived from Kaplan-Meier estimate


# composite of death, MI, or LM TLR

AMC Data, 2014

# DKCRUSH-V Randomized Trial

*DKCRUSH vs. Provisional stenting for LM distal bifurcation*

Primary Endpoint: TLF (Cardiac death, TVMI, or TLR)




Shao-Liang Chen et al. JACC, 2017

# DKCRUSH-V Randomized Trial

## *DKCRUSH vs. Provisional stenting for LM distal bifurcation*

### Target Lesion Failure at 1-Year Subgroup analysis



# Bifurcation technique

# Bifurcation Coronary Disease

- 15~20% of PCI patients
  - DES enhanced success rate, but have not resolved completely
  - Dependable strategy – not established
    - Rare studies evaluating anatomical intricacies
    - Lack of large randomized trials
    - Many anatomical variants
- Single technique can't fit all

# Difficulties of Bifurcation PCI


- | **Risk of periprocedural complication**
- | **Relatively high restenosis**
- | **Not all lesions are the same**
  - Size of vessels (Meaningful SB size  $\geq 2.25\text{mm}$ )
  - Variable plaque distribution
  - Extent of SB disease
  - Variable angulation
- | **Higher risk of stent thrombosis**

*PCI techniques are mainly based on  
personal experiences from skilled operators*


# Factors to be considered for PCI strategy

- | **Anatomical factors**
  - LMCA bifurcation
  - Location of plaque (Anatomical classification)
  - Plaque or carina shift
  - Angle btw SB and MB
  - Dynamic change in bifurcation anatomy
- | **Modalities for objective anatomical evaluation**
  - QCA, IVUS, FFR
- | **Selection of devices and strategies**
  - DES vs. BMS
  - Single vs. Double stent techniques
  - Kissing balloon or not
  - Dedicated bifurcation stents

# Medina Classification



# Trifurcation



# Angulation

T-shape

Prox

Distal

SB

$>70^\circ$

- **Difficult SB access**
- **Less plaque shifting**
- **T-stenting better**

Y-shape

Prox

Distal


SB

$\leq 70^\circ$

- **Easier SB access**
- **More plaque shifting**
- **Cullotte or Crush better**


# Stenting Crossing Side Branch With Optional Kissing Balloon Inflation

Normal or diminutive side branch ostium




# Stenting Crossing Side Branch With Optional Kissing Balloon Inflation

A. Wire both branches and predilate if needed




# Stenting Crossing Side Branch With Optional Kissing Balloon Inflation

B. Stent the MB leaving a wire in the SB




# Stenting Crossing Side Branch With Optional Kissing Balloon Inflation

C. Rewire the SB passing through the strut of the MB stent,  
remove the jailed wire, dilate toward SB, and perform FKB inflation



# Stenting Crossing Side Branch With Optional Kissing Balloon Inflation


D. Final result



Main vessel

# Provisional T Stenting

In cases with significant narrowing of side branch after main branch stenting



Jailed SB after  
MB stenting

SB stenting with  
minimal protrusion

Final kissing is  
necessary

Slightly protruded  
stent strut to MB

## Advantages

Good SB scaffolding with angles  $>70^\circ$


## Disadvantages

Potential gap at SB ostium  
Protrusion of SB stent into the MB

# Provisional T Stenting

In cases with significant narrowing of side branch after main branch stenting


A. Jailed SB after MB stenting



# Provisional T Stenting

In cases with significant narrowing of side branch after main branch stenting


B. SB stenting with minimal protrusion



# Provisional T Stenting

In cases with significant narrowing of side branch after main branch stenting


C. Final kissing is necessary



# Provisional T Stenting

In cases with significant narrowing of side branch after main branch stenting

D. Slightly protruded stent strut to MB



# “Internal” or “Reverse” Crush


Final kissing balloon dilatation is mandatory



Re-advancement of  
wire into the side  
branch



Opening of the side  
branch ostium




Final kissing balloon  
inflation



# “Internal” or “Reverse” Crush

Final kissing balloon dilatation is mandatory


A. Jailed SB after MB stenting



# “Internal” or “Reverse” Crush

Final kissing balloon dilatation is mandatory


B. SB stenting with minimal protrusion



# “Internal” or “Reverse” Crush

Final kissing balloon dilatation is mandatory


C. Remove SB balloon & wire,  
and inflate MB at high pressure to crush SB stent



# “Internal” or “Reverse” Crush

Final kissing balloon dilatation is mandatory


D. Re-advancement of wire into the side branch



# “Internal” or “Reverse” Crush

Final kissing balloon dilatation is mandatory


E. Opening of the side branch ostium



# “Internal” or “Reverse” Crush

Final kissing balloon dilatation is mandatory


## F. Final kissing balloon inflation



# “Internal” or “Reverse” Crush


Final kissing balloon dilatation is mandatory

G. Final result



# Y (Culotte) Stenting

A



B



C



D



---

## Advantages

- Compatible with 6-Fr guider
- Independent of bifurcation angle
- Predictable scaffolding


---

## Disadvantages

- Leaves multiple layers of strut
- Potential acute closure of MB

# Y (Culotte) Stenting

A. Wire both branches and predilate if needed




# Y (Culotte) Stenting

B. Deploy a stent in the more angulated branch (SB)




# Y (Culotte) Stenting

C. Rewire unstented branch, dilate the stent to unjail the MB, and expand a second stent into the unstented MB




# Y (Culotte) Stenting

D. Final result after final kissing balloon




# Modified T-Stenting




# Modified T-Stenting

A. Wire both branches and predilate if needed




# Modified T-Stenting

B. SB stent deployed at nominal pressure



# Modified T-Stenting

C. Remove balloon and wire from SB,  
And deploy the MB stent at high pressure




# Modified T-Stenting

D. Rewire the SB and high-pressure dilatation,  
then final kissing inflation is recommended




# Limitation of Modified T Stenting

Restenosis site of T stenting in SIRIUS bifurcation




Potential gap without enough drug diffusion




To prevent potential gap at the ostial side branch, the first stent should cover the entire surface of the side branch.

# Modified T-Stenting

## For Proper Ostial positioning



# Crush Technique



---

## Advantages

- Relatively simple
- Low risk of SB occlusion
- Good coverage of SB ostium


---

## Disadvantages

- Difficult FKI
- Requires 7 or 8-Fr guider
- Leaves multiple layers of strut


# Crush Technique

## A. Advance 2 stents




# Crush Technique

B. Deploy the SB stent




# Crush Technique

C. Deploy the main stent,  
then rewire SB and perform high-pressure dilatation




# Crush Technique

D. Perform final kissing inflation




# Crush Technique

D. Final result



# Mini-Crush with balloon

Performed with 6~7Fr guiding catheter



## Advantages

- Minimizes multi-layers of struts
- Good scaffolding at SB ostium
- Facilitates FKI
- Compatible with 6-Fr guider


## Disadvantages

- Still leaves multiple layers of strut

# Mini-Crush with balloon

Performed with 6~7Fr guiding catheter


A. Deploy the SB stent ± MB balloon backup



# Mini-Crush with balloon

Performed with 6~7Fr guiding catheter


## B. Crush SB stent



# Mini-Crush with balloon

Performed with 6~7Fr guiding catheter


C. Deploy stent in MB,  
then rewire SB and perform high-pressure dilatation



# Mini-Crush with balloon

Performed with 6~7Fr guiding catheter


E. Perform final kissing inflation



# Mini-Crush with balloon


Performed with 6~7Fr guiding catheter

F. Final result




# V Stenting

- Bifurcation without stenosis proximal to the bifurcation
- Short LM
- Less angle




# V Stenting

- A. Position 2 parallel stents covering both branches with a slight protrusion into the proximal MB




# V Stenting

B. Deploy 2 stents individually (or simultaneously)



# V Stenting

C. Perform high-pressure sequential single stent postdilation,  
Then medium pressure final kissing inflation



# Simultaneous Kissing Stenting

- Large proximal reference
- Bifurcation with stenosis proximal to the bifurcation

A



B



C



---

## Advantages

No risk of occlusion for both branches  
No need to re-cross any stent  
Technically easy and quick


---

## Disadvantages

Requires 7- or 8-Fr guider  
Leaves long metallic carina  
Over-dilatation in proximal MB  
Diaphragmatic membrane formation  
Difficulty in repeat revascularization


# Simultaneous Kissing Stenting

A. Position 2 parallel stents covering both branches with a long double barrel protrusion into the proximal MB



# Simultaneous Kissing Stenting

B. Deploy 2 stents



# Simultaneous Kissing Stenting

C. Perform final kissing inflation resulting a new metallic carina




# IVUS in LM disease


# IVUS Use was Associated with Better 10-yr Outcomes after LM PCI

## MAIN-COMPARE Registry


Left Main Disease



IVUS-guided PCI




10-Year  
Follow-up




# IVUS guidance associated with better outcome in LMCA stenting compared with angiography guidance alone

SCAAR Registry




# Pooled analysis ESTROFA-LM, RENACIMIENTO, Bellvitge, Valdecilla

## Effectiveness of IVUS on LM PCI








# Plaque Distribution by IVUS (n=140)



In 90% plaque extends from LMCA-LAD

Oviedo C et al. Circ Cardiovasc Interv 2010;3:105-12.


# Plaque Distribution by IVUS (n=82)

DLM POC	N. (%)	LAD ostium, MLA (mm <sup>2</sup> )	POC, MLA (mm <sup>2</sup> )	DLM, MLA (mm <sup>2</sup> )	LCX ostium, MLA (mm <sup>2</sup> )
	5 (6%)	4.4±2.0	9.6±4.4	8.1±4.7	3.4±1.6
	26 (32%)	4.2±2.8	5.3±2.6	4.6±1.5	3.9±2.1
	12 (15%)	2.6±1.3	4.5±1.6	4.5±2.1	3.3±2.0
	9 (11%)	4.3±2.5	5.6±3.3	5.7±3.8	7.6±3.6
	9 (11%)	3.2±1.4	6.1±2.0	4.8±2.5	3.9±1.4
	4 (5%)	3.4±1.9	5.2±1.9	5.8±4.7	3.9±2.0
	4 (5%)	2.8±0.7	5.1±2.1	5.1±2.2	6.6±1.7
	5 (6%)	3.4±1.9	5.2±2.6	5.1±3.8	4.6±2.1

*In all cases,  
the LM disease  
extended into  
LAD and LCX  
continuously.*



# Optimal MSA

*on a segmental basis*




# Cut-off for Predicting LM FFR<0.75 : LM MLA 6.0mm<sup>2</sup>

- Sum of lumen areas of two daughter vessels (Each of LAD and LCx should be 4.0mm<sup>2</sup>) = 150% of the parent LM
- **Murray's Law ( $LM r^3 = LAD r^3 + LCx r^3$ )**



# Geometric Abstraction

Old MLA cut-off  $6.0\text{mm}^2$  was obtained from *Murray's law* considering an **MLA  $4.0\text{mm}^2$**  as ischemic threshold of both LAD and LCX



LAD	LCX	LM (Murray's)
<b>4.0</b>	<b>4.0</b>	<b>6.35</b>
4.0	3.9	6.27
4.0	3.8	6.19
4.0	3.7	6.11
4.0	3.6	6.04
4.0	3.5	5.96


De La Torre Hernandez et al. JACC 2011;58:351-8

Jasti et al. Circulation 2004;110:2831-6


# False Assumption....

## The used cut-off 4.0mm<sup>2</sup> is too Big!

LAD	LCX	LM (Murray's)
3.0	3.0	4.76
3.0	2.9	4.68
3.0	2.8	4.60
<b>3.0</b>	<b>2.7</b>	<b>4.53</b>
3.0	2.6	4.45
3.0	2.5	4.37




# AMC Data (n=112)



Park SJ et al. JACC Interv 2014;7:868–74

# AMC Data (n=112)



Park SJ et al. JACC Interv 2014;7:868–74

- Old data (MLA 6.0mm<sup>2</sup>) included downstream SB disease, and 32 of 55 (58%) were distal LM lesions that usually extend to the SB ostia
- Recent data (MLA 4.5mm<sup>2</sup>) evaluated only pure LM lesions, which more reliably assessed the impact of LM-MLA on functional significance


**TABLE 1. Baseline Clinical, Angiographic, and IVUS Characteristics of Patients (n=55)**

Age, y	62±11
Diabetes mellitus, n	20
Hypertension, n	50
Smoking, n	39
Prior bypass surgery, n	13
Ostial LM stenosis, n	20
Mid-LM stenosis, n	3
Distal LM stenosis, n	32

Jasti et al. Circulation 2004;110:2831-6

# New LM MLA 4.5mm<sup>2</sup>

Matched with FFR <0.80  
Ostial and Shaft LM Disease (N=112)




Sensitivity	79%
Specificity	80%
PPV	83%
NPV	76%


# Frequency of ISR in LM Lesions

with vs. without Underexpansion

Overall lesions





Two-stent





- Underexpansion of at least 1 segment
- Adequate expansion at all sites

# OCT in LM disease

# OCT-guidance associated with better outcome in LMCA stenting compared with angiography guidance alone




# OCT-guidance is non-inferior in LMCA stenting compared with IVUS-guidance



# FFR in LM disease

# FFR guided and angio guided provisional stenting of LM DKCRUSH-VI trial


- primary endpoint : 1 yr composite of MACE



Angiographic and FFR guidance of provisional SB stenting of LM bifurcation lesions provided similar 1-year clinical outcome.

# FFR guided PCI in Equivocal LMCA

- In 213 patients with an equivocal LMCA stenosis
- FFR  $\geq 0.80$ : Medication (n=138) vs. FFR < 0.80: CABG (n=75)



An FFR-guided strategy showed the favorable outcome.


# Use of IVUS vs. FFR in SB Assessment After LM Cross-over




	<b>SB-pullback IVUS</b>	<b>SB FFR</b>
Advantage	<ul style="list-style-type: none"><li>▪ Confirm the anatomical compromise and MLA loss</li><li>▪ Mechanism of SB jailing</li></ul>	<ul style="list-style-type: none"><li>▪ Confirm the functional SB compromise</li></ul>
Pitfalls	<ul style="list-style-type: none"><li>▪ MLA-FFR mismatch</li><li>▪ No MLA criteria</li><li>▪ Low feasibility</li></ul>	<ul style="list-style-type: none"><li>▪ Minority - not feasible</li></ul>

# Functional Compromise of LCX after LM Cross-Over Stenting

Preporcedural MLA and plaque burden  
of poststenting LCX FFR < 0.80




**MLA 3.7 mm<sup>2</sup>**



**Plaque burden 56%**

# Functional LCX Compromise



In LMCA Bifurcations (LCX ostial DS<50%)



When Pre-PCI LCX Ostial DS<50%,  
Just Do Single Stent!


# LMCA Bifurcation

## Post-stenting LCX Stenosis



# Why Mismatch?


- Lesion eccentricity of SB
- Negative remodeling of ostium
- Various size of myocardium
- Strut artifacts
- Focal carina shift



Sachdeva et al. Am J Cardiol 2011;107:1794-5


# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **BEST** trial : Primary Composite Endpoint




# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **BEST** trial : Death, Stroke, or MI




# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **BEST** trial : All-cause death




# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **BEST** trial : Repeat Revascularization



# PCI vs. CABG for Left Main Disease

Extended Follow-Up of the **BEST** trial : Repeat Revascularization




# ISR



# WOLVERINE™

## Cutting Balloon™ Dilatation Device

In-Service Presentation




# Indications and Intended Use

The WOLVERINE™ Cutting Balloon Device is indicated for use in patients with coronary vessel disease who are acceptable candidates for coronary artery bypass graft surgery, should it be urgently needed, for the purpose of improving myocardial perfusion.

In addition, the target lesion should possess the following characteristics:

- Discrete (< 15 mm in length), or tubular (10 mm to 20 mm in length)
- Reference vessel diameter (RVD) of 2.00 mm to 4.00 mm
- Readily accessible to the device
- Light to moderate tortuosity of proximal vessel segment
- Nonangulated lesion segment (< 45°)
- Smooth angiographic contour
- Absence of angiographically visible thrombus



# WOLVERINE™ FDA US IFU Updates

## November 2021

Boston  
Scientific

### INTENDED USE/INDICATIONS FOR USE

The Wolverine Cutting Balloon Device is indicated for dilatation of stenoses in coronary arteries for the purpose of improving myocardial perfusion in those circumstances where a high pressure balloon resistant lesion is encountered. In addition, the target lesion should possess the following characteristics:

- Discrete (< 15 mm in length), or tubular (10 mm to 20 mm in length)
- Reference vessel diameter (RVD) of 2.00 mm to 4.00 mm
- Readily accessible to the device
- Light to moderate tortuosity of proximal vessel segment
- Nonangulated lesion segment (< 45°)
- Smooth angiographic contour
- Absence of angiographically visible thrombus and/or calcification

### Changes

- Removed “and/or calcification” in target lesion characteristics bullet points
- Emergency surgical backup now a clinical consideration
- Additional cleanup and formatting for clarity

### Rationale

- Align Instruction for Use with modern product usage
  - Cutting Balloon was first introduced before stents were approved for coronary use
  - Modern use of cutting balloon has since changed
- Supported by extensive literature, clinical data and real-world experience
- FDA approved changes in Nov 2021

# Product Design

Traditional balloon angioplasty can result in complications like:

VESSEL  
DISSECTION

POOR  
LUMINAL GAIN


LESION  
RECOIL

BALLOON  
SLIPPAGE

POOR STENT  
APPOSITION

## The WOLVERINE™ Advantage

The unique design of the WOLVERINE Cutting Balloon is designed with **proprietary atherotomes** on a **low pressure non-compliant balloon** to directly address each of these complications



NC EMERGE™  
Balloon Platform

# Balloon Matrix and Inflation Pressures

Monorail Balloon Catheter with working lengths of 6, 10 and 15 mm

For vessels with reference diameter of 2.0 – 4.0 mm

BALLOON DIAMETER (mm)		BALLOON BODY LENGTH		
		6 mm	10 mm	15 mm
2.00				
2.25				
2.50				
2.75				
3.00				
3.25				
3.50				
3.75	3 Atherotomes			
4.00	4 Atherotomes			

**5F Compatible**  
GUIDEZILLA II 6F

**6F Compatible**  
GUIDEZILLA II 7F

INFLATION PRESSURE  
RATING

**Nominal = 6 ATM**

**Rated Burst = 12 ATM**

# Sizing Considerations

**WOLVERINE™ utilizes the NC EMERGE™ Catheter Platform, yet the balloon was designed to have a lower nominal pressure resulting in a different compliance**



Growth Chart Example (3.0 mm)


Wolverine™ Coronary Cutting Balloon™		
MONORAIL™		
Microsurgical Dilatation Device		
atm - kPa	3.00mm	Balloon O.D.
Pressure	2.88	
3.0 - 304	2.88	
4.0 - 405	2.94	
5.0 - 507	2.99	
6.0 - 608	NOMINAL	3.06
7.0 - 709		3.10
8.0 - 811		3.15
9.0 - 912		3.18
10.0 - 1013		3.22
11.0 - 1115		3.25
12.0 - 1216	RATED*	3.28

\*Rated Burst Pressure. DO NOT EXCEED.


## Sizing Considerations:

WOLVERINE grows roughly a quarter size when going from nominal (6 ATM) to rated burst pressure (12 ATM)

Physician consensus is to measure the normal distal reference with IVUS and then downsize WOLVERINE a half size from that measurement



Oversizing at nominal pressure will cause atherotomes to be “pillowed” by the balloon and may not provide adequate forces to modify calcium



Oversizing Example  
Blue = Balloon  
Red = Vessel

Oversizing at rated burst pressure may lead to vessel stretching and trauma due to balloon growth (not atherotomes)



**WOLVERINE™**  
Cutting Balloon™ Dilatation Device

# Device Preparation and Use Instructions

# Device Preparation

Important: WOLVERINE™ preparation uses a wet negative prep procedure. Customary balloon preparation methods do not apply!

1

## Sizing

- The Wolverine IFU states that the inflated diameter of the device should approximate a ratio of 1.1:1 in relation to the average diameter of the reference vessel. Oversizing increases risk of perforation. **As stated earlier, sizing a quarter to half size down may be needed if using higher inflation pressures.**

2

## Unpacking

- Using sterile technique, remove the device in its protective hoop from its package and place onto a sterile field.
  - Do not remove the device from its protective hoop.
  - Do not remove the balloon protector from the device tip.



3

## Attach Stopcock & Prepare Inflation Device

- Connect a three-way stopcock to the balloon port.
  - Turn stopcock lever OFF to the balloon.
  - Prepare an inflation device with 5 cc of contrast solution (mixture must be at least 50:50 contrast medium and sterile saline).



# Device Preparation

4

## Attach Inflation Device & Purge

- Attach the inflation device to stopcock.
  - Assure luer connections are properly aligned to avoid stripping the luer thread causing subsequent leakage and use care when connecting the device to avoid damage (e.g., shaft kink).
  - Purge stopcock by flushing 1-2 cc of contrast medium through the middle port.



5

## Pull Full Negative

- Turn the stopcock lever towards the middle port or open to the balloon and immediately withdraw inflation device plunger to full negative and place the inflation device in a locked position. This will maintain a constant vacuum on the device.

6

## Remove Device from Hoop

- When the device is ready to be inserted into the body, remove the device from its protective hoop. Use care when removing the device to avoid damage (e.g., shaft kink).



# Device Preparation

7

## Remove Balloon Protector

- Using straight force (not a twisting motion), pull the balloon protector distally from the device tip. For WOLVERINE MR Cutting Balloon Devices, remove the mandrel distally after removing the balloon protector.
  - Caution: If unusual resistance is felt during removal of the balloon protector or mandrel, do not use the device and replace with another.



8

## Coiling & Securing with CLIPIT Clip

- The WOLVERINE MR Cutting Balloon Device may be coiled once and secured using the CLIPIT Clip provided in the device package.
  - Only the proximal shaft should be inserted into the CLIPIT Clip; the clip is not intended for the distal end of the device.
  - Remove the CLIPIT Clip prior to inserting the device into the patient's body.

9

## Flush Guidewire Lumen

- Flush the guidewire lumen of the device with heparinized saline. For WOLVERINE MR Cutting Balloon Device flush through the distal tip of the device.

10

## Sterility

- Maintain device on a sterile table until ready to use.

# Inflation & Removal Instructions

## Inflation

1

### Go Slow

- Under fluoroscopy, slowly inflate the device (1 ATM/5 sec) to 6 ATM (nominal size).
  - Do not inflate the device above 12 ATM (rated burst pressure).
  - If difficulty is experienced during balloon inflation, do not continue inflation; deflate and remove the device.

2

### Treat Distal then Proximal

- When using the device on long lesion segments, treat distal portion first and then proximal lesion segment second. Repeat coronary arteriography after each use to evaluate results.

### Tips and Tricks

Prior to advancing the catheter, it may help to increase pressure to 1 atm and then pull negative to aid in loosening the packaged balloon crimp and provide added flexibility

## Removal

1

### Deflate & Pull Negative

- Deflate the device by dialing down on the inflation/deflation device, then pull a negative vacuum. Maintain vacuum on the device and verify full deflation under fluoroscopy.

### Tips and Tricks

Deflating slowly by dialing down pressure methodically to optimize balloon re-wrap

2

### Confirm Successful Result

- Repeat coronary arteriography to confirm successful result.

3

### Withdraw

- Withdraw the device into the guiding catheter. While withdrawing the deflated device and guidewire from the guide catheter through the hemostasis valve, tighten the hemostasis valve.



**WOLVERINE™**  
Cutting Balloon™ Dilatation Device

# Clinical Use Scenarios

# **WOLVERINE™**


**The right tool for vessel preparation device**

## **Proper Solution to Help Prepare Lesions Prior to Stenting**

**WOLVERINE is right tool at helping treat a wide range of lesions:**

- Cuts fibrotic plaque to limit recoil
- Cracks thin concentric and eccentric calcium
- Prepare small vessels prior to Drug Coated Balloon
- Address In-Stent Restenosis
- Limit balloon slippage in coronary ostium and bifurcation lesions

➤ **Cutting balloon angioplasty device designed with improved crossability and deliverability, to deliver precise and controlled cutting action**



# Clinical Use Scenarios

## LESSON CHALLENGES

### Small Vessel Lesions

REDUCE RESTENOSIS

- High rates of restenosis
- Tendency to dissect
- Abrupt closure<sup>1</sup>

### Ostial and Bifurcation Lesions

AVOID PLAQUE SHIFT

- Recoil
- Plaque Shift
- Side Branch Compromise

### Fibrotic Lesions

CHANGE LESION COMPLIANCE

- High concentration of elastin and muscle fibers
- High risk of vessel recoil

### Calcified Lesions

CRACK CALCIUM TO ALLOW EXPANSION

- Calcium deposits in plaque that prevent lumen gain
- Varying degrees of burden and arcs

## CUTTING BALLOON OBJECTIVES

- Use as stand-alone therapy
- DCB or Stent?

- Dilates while reducing elastic recoil<sup>2</sup>
- More plaque compression
- Minimal plaque shift
- Less vessel stretching<sup>3</sup>


- Atherotomes score through fibrotic plaque<sup>4</sup>
- Reduce hoop strain and limit recoil
- Lumen Gain

- Use as stand-alone therapy in eccentric and thin concentric calcium
- Possible additive therapy with atherectomy
- Lumen Gain

# WOLVERINE™ Mechanism of Action


## Porcine Artery Models

ACUTE




CUTTING  
BALLOON

14-DAY



POBA




Acutely there is **over stretch\*** and visible trauma to the vessel wall with POBA

\*This level of over-stretch was done for investigational purposes only

At 14-days the vessel has **recoiled with POBA** and stayed open with cutting balloon

## Reliable Option

- **25+ Year Track Record:** WOLVERINE has been used for over 25 years, and has a long track record of safety with real-world patients and clinical trials
- **Atherotome Height:** Approximately the same height as 1<sup>st</sup> generation stents or a human hair
- **Penetration Depth:** Even when placed in healthy tissue, WOLVERINE's atherotomes typically only penetrate partially into the media






**WOLVERINE™**  
Cutting Balloon™ Dilatation Device

# Calcium Modification


# Calcium Needs to be Properly Treated

Calcium is a growing problem that can negatively impact PCIs if left untreated


Calcium is prevalent in patients undergoing PCI



Calcium leads to worse clinical outcomes



Calcium can inhibit optimal stenting




# Calcium Morphology


**CONCENTRIC**



360° Calcium Arc  
Smooth Surface



**ECCENTRIC**




180 – 270° Calcium Arc  
Irregular Surface



**NODULE**



90 – 180° Calcium Arc  
Luminal protrusion and  
irregular leading edge




**PSEUDO-NODULE**



Extra-plaque  
during CTO-PCI



# The Right Tools Make a Difference



**WOLVERINE™**  
Cutting Balloon™ Dilatation Device

## ➤ Controlled Mechanism of Action

Atherotomes anchor to calcium and produce controlled, longitudinal fractures


## ➤ Strategic Atherotome Placement

Enables up to 4 points of contact with calcium, improving the probability of modification with a single balloon

## ➤ Focused Force to Amplify Impact

Pressure at atherotomes amplified to precisely fracture calcium at lower balloon inflation pressures

# Calcific Lesion Modification Strategy




# Assess Calcium FIRST with IVUS

Thickness



Deep Calcium /  
No Reverberation

Angle



Ca Angle = 117°


Length



Distal

LONGITUDINAL  
VIEW

Nodule



Calcified Nodule

Reverberation  
 Surface of calcium

# Proven Mechanism of Action

## Effective. Safe. Versatile.

Wolverine's innovative design safely and efficiently cracks calcium<sup>3</sup>

1

### Atherotome Amplified Force.<sup>1</sup>



The atherotomes anchor into the plaque and amplify pressures generated by the balloon. This creates controlled, longitudinal cracks in the calcium.<sup>1</sup>

2

### Safely Cracks Calcium.

Due to its unique design, Wolverine can modify calcium at lower pressures than POBA.<sup>3</sup>

Atherotomes penetrate a small distance into the vessel wall, even in healthy tissue.<sup>4</sup>



Pre-clinical Swine Coronary artery post Cutting Balloon<sup>1</sup>

Atherotome Cutting Height	127 µm
Human LAD Media Thickness <sup>2</sup>	320 µm
Human LAD Wall Thickness <sup>2</sup>	900 µm

<sup>1</sup> Xiaodong Zhu et al.; Circ Rep 2021; 3: 1 – 8 doi: 10.1253/circrep.CR-20-0070. Results of computer models are not predictive of clinical performance. Clinical results may vary.


<sup>2</sup> Bonan, J Invasiv Cardiol, 1999; 11: 230

<sup>3</sup> Mangieri, A. Cutting Balloon to Optimize Predilatation for Stent Implantation: The COPS Randomized Trial, TCT 2022

<sup>4</sup> Data on file. Photos taken by Boston Scientific. Results of internal bench studies are not representative of clinical performance. Clinical results may vary.


# Treating Calcium with WOLVERINE™

## Calcification Model Stress Distributions




- WOLVERINE™ atherotomes **amplified balloon peak tensile strength 3X** vs NC Balloon
- Force is focused at atherotomes for controlled even calcium cracking
- **Balloon dilation force is enhanced** between the anchored atherotomes

## Peak Value of Maximum Principle Tensile Stress (MPa)



## Average Fracture Pressure (ATM) 400 µm 360° Lesion




360°  
Calcification  
Model




Kiyotaka IWASAKI. Euro PCR 2019; Influences of thickness and circumferential angles of calcification on the capability of fracturing calcification of the cutting balloon: an experimental investigation. Inflated up to 20 ATM until calcification model cracked in 37C water bath.  
Results of bench models are not predictive of clinical performance. Clinical results may vary.

# Demonstrated Efficacy in both Concentric and Eccentric Calcium

BEFORE





AFTER



ECCENTRIC  
LESION

WOLVERINE™ has  
clinically demonstrated  
effectiveness in calcium  
ranging from 0° to 360°  
with a proven mechanism  
of action.<sup>1</sup>

CONCENTRIC  
LESION



# WOLVERINE™ Cracking Power in Action!



# The COPS Trial

## Cutting balloon to Optimize Predilatation for Stenting



### Primary Investigators


Dr. Antonio Mangieri, Dr. Antonio Columbo

### Three hospitals in Italy

Maria Cecilia Hospital, Humanitas Rozzano, Clinica Mediterranea

### Study Design

- Prospective, randomized, multicenter open-label trial which enrolled 100 patients with significant calcified lesions evaluated at IVUS



### Primary Endpoint

- Minimal Stent Area (MSA) at Calcium Site

### Secondary Endpoint

- Eccentricity Index :  $(LD_{max} - LD_{min}) / LD_{max}$
- MSA
- Device Failure
- Safety: Procedural Complications & One-Year MACE


# The COPS Trial: Results

Study contained a range calcium 100 – 360°  
and 29.4% avg of deep calcium

	Overall	CB (n=44)	NCB (n=43)	P value
<b>Lesion Type</b>				
Type B1	25 (28.7)	14 (32.5)	11 (25)	
Type B2/C	62 (71.2)	29 (67.4)	33 (75)	
<b>Calcium distribution</b>				
Mixed Calcium	34 (40)	15 (34.8)	19 (45.2)	
<b>Deep Calcium</b>	<b>25 (29.4)</b>	<b>15 (34.8)</b>	<b>10 (23.8)</b>	
Superficial Calcium	26 (30.5)	13 (30.2)	13 (30.9)	
Arch of calcium (degrees)	266±84	274±84	258±85	0.373
Calcium length (mm)	12±6.6	11.9±7.3	12.5±6	0.667
Lesion length (mm)	24.3±9.7	23.5±9.6	25.1±9.8	0.442
Minimal lumen area (mm <sup>2</sup> )	3.2±0.9	3.4±1.1	3±0.7	0.02
<b>QCA evaluation</b>				
Reference vessel diameter (mm)	3.4±0.4	3.51±0.3	3.39±0.4	0.112
Percentage of stenosis (%)	81.2±8.1	79.4±7.6	82.7±8.3	0.97

**WOLVERINE** is clinically proven to provide superior MSA at the calcium site compared to POBA

	CB (n=44)	NCB (n=43)	P value
<b>Final MSA (mm<sup>2</sup>)</b>	7.1±1.7	6.5±2.1	0.116
<b>Minimal Stent Diameter</b>	2.7±0.4	2.5±0.4	0.064
<b>Maximal Stent Diameter</b>	3.2±0.4	3.1±0.4	0.189
<b>Final MSA at calcium site</b>	8.1±2	7.3±2.1	0.035
<b>Minimal stent diameter at calcium site</b>	2.9±0.7	2.7±0.4	0.016
<b>Maximal stent diameter at calcium site</b>	3.5±0.5	3.3±0.4	0.132
<b>Eccentricity index at calcium site</b>	0.84±0.7	0.8±0.8	0.013



The benefit was magnified in presence of severe calcifications

# The COPS Trial: Safety

**WOLVERINE™ use in calcium is safe, with no significant differences in procedural complications and 1-year MACE**

	Overall	CB (n=44)	NCB (n=43)	P value
<b>Device failure</b>	3 (3.4)	3 (6.8)	0 (0)	0.517
<b>Additional use of rotational atherectomy</b>	1 (1.1)	1 (2.2)	0 (0)	0.79
<b>Ellis type 1 vessel rupture</b>	2 (2.2)	2 (4.4)	0 (0)	0.189
<b>Implantation of a covered stent</b>	1 (1.1)	1 (2.2)	0 (0)	0.65
<b>Final TIMI flow &gt;3</b>	87 (100)	44 (100)	43 (100)	0.854
<b>One year Follow-up</b>				
<b>Deaths</b>	3 (3.4)	1 (1.1)	2 (4.6)	0.342
<b>Cardiac deaths</b>	1 (1.1)	0 (0)	1 (2.3)	0.887
<b>Stroke</b>	0 (0)	0 (0)	0 (0)	0.91
<b>MI</b>	0 (0)	0 (0)	0 (0)	0.96
<b>TLR</b>	3 (3.4)	1 (1.1)	2 (4.6)	0.49

**WOLVERINE provided excellent procedural success with limited need for atherectomy (n=1) despite a high rate of severe calcium in the study**

**WOLVERINE is both a safe and effective option for modifying severely calcified lesions**



**Atherotome height equivalent to 1<sup>st</sup> generation stent strut thickness**

# The COPS Trial: Key Learnings



WOLVERINE™ resulted in a **significantly larger minimal stent area** at the calcified segment.



This difference was especially apparent in cases with **severe calcification**.



Stents had significantly **more uniform expansion** after vessel preparation with WOLVERINE.



**WOLVERINE is safe for calcium treatment**, even when inflated past rated burst pressure.



**WOLVERINE™**  
Cutting Balloon™ Dilatation Device



## Competitive Product Comparisons

# WOLVERINE vs FLEXTOME

	WOLVERINE™	FLEXTOME™
Manufacturer	Boston Scientific	Boston Scientific
Guide Cath Compatibility	<b>5F, 6F</b>	<b>5F, 6F</b>
Size Matrix: Diameter (mm)	2, 2.25, 2.5, 2.75, 3, 3.25, 3.5, 3.75, 4	2, 2.25, 2.5, 2.75, 3, 3.25, 3.5, 3.75, 4
Size Matrix: Length (mm)	6, 10, 15	6, 10, 15
Pressures (ATM)	NOM: <b>6</b> RBP: <b>12</b>	NOM: <b>6</b> RBP: <b>12</b>
Catheter Length (cm)	143	142
Balloon Compliance	Non-Compliant	Non-Compliant
Balloon Platform	<b>NC EMERGE</b>	<b>NC Quantum MAVERICK</b>
Tip Entry Profile	<b>0.017"</b>	<b>0.020"</b>
Proximal shaft Distal shaft	<b>1.8Fr / 0.59mm</b> <b>2.6Fr / 0.86mm</b>	<b>2.0Fr / 0.67mm</b> <b>2.7Fr / 0.90mm</b>
Plaque Mod Method	<b>3 or 4 evenly spaced atherotomes</b>	<b>3 or 4 evenly spaced atherotomes</b>


# Atherotome Changes

- Reduce non-functional blade height (portion in the cast pad) to improve profile
- Reduce cast pad height and width to improve profile



# The Atherotome Advantage


## WOLVERINE™ Cutting Balloon™ Device Atherotome



### WOLVERINE Atherotome Advantage:


- Amplify balloon inflation pressures in calcium
- Create microsurgical incisions in fibrotic plaque

These two applications help to prepare vessels and limit recoil.



CUTTING BALLOON  
CROSS SECTION

## Product A Nitinol Wire



### Scoring Balloon Design:

- Flat scoring design provides a blunt force spread over a greater area.
- May explain why published data shows other scoring balloons to not generate as high of acute gain than cutting balloon.

Matsukawa, et al, Cardiovascular Intervention and Therapeutics (2019) 34:325 - 334



SCORING BALLOON  
CROSS SECTION

# Competitive Specifications

**WOLVERINE™ is compatible with smaller guide catheter and offer the broad size matrix to treat according to the type of lesions**

	WOLVERINE™	Product A	Product B	Product C
Guide Cath Compatibility	5F, 6F	6F	6F	5F
Size Matrix: Diameter (mm)	2, 2.25, 2.5, 2.75, 3, 3.25, 3.5, 3.75, 4	2, 2.5, 3, 3.5	2, 2.25, 2.5, 2.75, 3, 3.25, 3.5, 4	2, 2.5, 3, 3.5, 4
Size Matrix: Length (mm)	6, 10, 15	6, 10, 15	13	10, 15, 20
Pressures (ATM)	NOM: 6 RBP: 12	NOM: 8 RBP: 16-20	NOM: 6 RBP: 14	NOM: 12 RBP: 20
Catheter Length (cm)	143	137	142	139
Balloon Compliance	Non-Compliant	Semi-Compliant	Semi-Compliant	Non-Compliant
Plaque Mod Method	3 or 4 evenly spaced atherotomes	Wire wrapped balloon	3 scoring elements	Single scoring wire

# Clinical Study: Cutting Balloon vs. Scoring Balloon in Severely Calcified Patients

Plaque modification using a cutting balloon is more effective for stenting of heavily calcified lesion than other scoring balloons

## Primary Investigator

- Ryuichi Matsukawa, Fukuoka Red Cross Hospital, Fukuoka, Japan

## Study Design

- Retrospective analysis of 156 patients treated for calcified coronary artery disease with either Cutting Balloon (n=30), NSE Scoring Balloon (n=39) or Scoreflex Scoring Balloon (n=87) from April 2015 – December 2017

## Notable Patient Characteristics


- Patients in all groups had similar characteristics including age, gender, lesion location, Minimum Lumen Diameter, reference vessel diameter and balloon to artery ratio
- However, the cutting balloon patients had a significantly higher rate of severe calcification (83.3%) than NSE (59%) or Scoreflex (44.8%)

## Summary of Key Results




### 30% HIGHER ACUTE GAIN

Despite a significantly higher percentage of severe calcium, cutting balloon resulted in a statistically significant higher acute gain than scoring balloon.




### BETTER LUMEN SYMMETRY

Cutting balloon also had a superior effect on stent symmetry index, meaning that the stent lumen was more symmetrical than with scoring balloon.



### ACHIEVED AT LOWER PRESSURES

This 30% higher acute gain was achieved with cutting balloon despite using a statistically significant lower inflation pressure than scoring balloon.





**WOLVERINE™**  
Cutting Balloon™ Dilatation Device

## Brief Summary

# WOLVERINE™ Brief Summary

## PRECAUTIONS

The device should be used only by physicians trained in the performance of PTCA.

If difficulty is experienced during balloon inflation, do not continue; remove the device and do not attempt to use it.

Infusion of any medium through the guidewire lumen other than heparinized saline may compromise device performance.

Do not attempt to reposition a partially inflated balloon.

Do not use a guidewire having a diameter greater than 0.014 in (0.36 mm).

## Potential ADVERSE EVENTS

**Potential adverse events include, but are not limited to, the following:**

- Abrupt closure
- Acute myocardial infarction
- Angina or unstable angina
- Arrhythmias, including ventricular fibrillation
- Arteriovenous fistula
- Cardiac tamponade/pericardial effusion
- Cardiogenic shock
- Cerebrovascular accident/stroke
- Coronary aneurysm
- Coronary artery bypass graft surgery
- Coronary artery spasm
- Coronary vessel dissection, perforation, rupture, or injury, possibly requiring surgical repair or intervention
- Death
- Drug reactions, including allergic reaction to contrast medium
- Embolism
- Hemodynamic compromise
- Hemorrhage or hematoma
- Hypo/hypertension
- Infection
- Minor vessel trauma
- Myocardial ischemia
- Percutaneous re-intervention
- Pseudoaneurysm (at vascular access site)
- Pyrogenic reaction
- Renal failure
- Respiratory insufficiency
- Restenosis of the dilated vessel
- Side branch occlusion
- Slow flow/no reflow
- Thrombosis
- Total occlusion of the coronary artery or bypass graft
- Transient ischemic attack
- Vasovagal reaction
- Ventricular irritability/dysfunction
- Vessel trauma requiring surgical repair or intervention
- Volume overload

# WOLVERINE™ Brief Summary

CAUTION: Rx only. Prior to use, please see the complete "Directions for Use" for more information on Indications, Contraindications, Warnings, Precautions, Adverse Events, and Operator's Instructions.

## INTENDED USE / INDICATIONS FOR USE

The Wolverine Cutting Balloon Device is indicated for use in patients with coronary vessel disease who are acceptable candidates for coronary artery bypass graft surgery, should it be urgently needed, for the purpose of improving myocardial perfusion. In addition, the target lesion should possess the following characteristics:

- Discrete (< 15 mm in length), or tubular (10 mm to 20 mm in length)
- Reference vessel diameter (RVD) of 2.00 mm to 4.00 mm
- Readily accessible to the device
- Light to moderate tortuosity of proximal vessel segment
- Nonangulated lesion segment (< 45°)
- Smooth angiographic contour
- Absence of angiographically visible thrombus

## CONTRAINDICATIONS

The WOLVERINE Cutting Balloon Device is contraindicated for use in:

Delivery through the side cell of a previously placed stent as the deflated Cutting Balloon could become entangled in the stent.

Coronary artery spasm in the absence of a significant stenosis.

## WARNINGS

- Exercise extreme care when treating a lesion distal to a stent. When treating lesions at a bifurcation, the device can be used prior to placing a stent, but should not be taken through the side cell of a stent to treat the side branch of a lesion at a bifurcation.
- The atherotomy process, because of its mechanism of action, may pose a greater risk of perforation than that observed with conventional Percutaneous Transluminal Coronary Angioplasty (PTCA). To reduce the potential for vessel damage, the inflated diameter of the device should approximate a 1.1:1 ratio of the diameter of the vessel just proximal and distal to the stenosis.
- The atherotomy process in patients who are not acceptable candidates for coronary artery bypass surgery requires careful consideration, including possible hemodynamic support during the atherotomy process, as treatment of this patient population carries special risk.
- Balloon pressure should not exceed the rated burst pressure.
- When performing percutaneous atherotomy, the availability of on-site surgical backup should be included as a clinical consideration.